

Project Name: _____
 Location: _____
 Engineer: _____
 Submitted to: _____
 Submitted by: _____
 Reference: _____

Approval: _____
 Date: _____
 Construction: _____
 Unit #: _____
 Drawing #: _____

Performance

Outdoor Unit Model No: RXYQ360PBYD
Type: Non-Ducted / Ducted
Rated Cooling Capacity (Btu/hr): 342000
Nom Cooling Capacity (Btu/hr): 360000
Cooling Input Power (kW): 31.67
SEER: N/A
IEER: 15.1/15.3
Rated Heating Capacity (Btu/hr): 385000
Nom Heating Capacity (Btu/hr): 405000
Heating Input Power (kW): 35.26
Heating COP (Btu/hr / Btu/hr): 3.45/3.2
HSPF: N/A
Heating COP 17F (Btu/hr / Btu/hr): 2.4/2.3

Condensing Unit Type: 30-Ton VRV-III Heat Pump
Unit Combination: RXYQ120PBYD RXYQ120PBYD
 RXYQ120PBYD
Rated Cooling Conditions: Indoor: 80°F DB/67°F WB
 Outdoor: 95°F DB/75°F WB
Rated Heating Conditions: Indoor: 70°F DB/60°F WB
 Outdoor: 47°F DB/43°F WB
Rated Piping Length (ft): 150 / 75
Rated Height Difference (ft): 0

Condensing Unit Details

Power Supply (V/Hz/Ph): 460/60/3ph
Power Supply Connections: L1, L2, L3 Ground
Min. Circuit Amps MCA (A): 21+21+21
Max. Overcurrent Protection (MOP)(A): 25+25+25
Max. Starting Current MSC(A): 90
Rated Load Amps RLA (A): (5.4+8.4) x 3
Dimensions Height (Inch): 66-1/8
Dimensions Width (Inch): 146-5/8
Dimensions Depth (Inch): 30-1/8
Net Weight (lbs): 633+633+633

Compressor Type: Inverter
Capacity Control Range (%): 5 - 100
Capacity Index Limit: 180 - 468 (130%)
Airflow Rate (CFM): 8,230+8,230+8,230
Gas Pipe Connection (inch): 1-5/8
Liquid Pipe Connection (inch): 3/4
H/L Pressure Connection (inch):
H/L Equalizing Connection (inch):
Sound Pressure Level (dBA): 65
Sound Power Level (dBA):
Max. No. of Indoor Units: 62

System Details

Refrigerant Type: R-410A
Holding Refrigerant Charge (lbs): 22.1+22.1+22.1
Additional Charge (lbs/ft): install data
Pre-charge Piping (Length ft): -
Max. Pipe Length (Total ft):
Max. Pipe Length (Vertical ft): 164 ft (295 ft) / 295 ft
Max Height Separation (Ind to Ind ft):


Cooling Operation Range (°F): 23 - 110
Cooling Range w/Baffle (°F):
Heating Operation Range (°F): 0 - 77 / (-4) - 60
Heating Range w/Baffle (°F):

Project Name: _____
 Location: _____
 Engineer: _____
 Submitted to: _____
 Submitted by: _____
 Reference: _____

Approval: _____
 Date: _____
 Construction: _____
 Unit #: _____
 Drawing #: _____

Dimensional Drawing - Condensing Unit

RXYQ360PBYD



Project Name: _____
Location: _____
Engineer: _____
Submitted to: _____
Submitted by: _____
Reference: _____

Approval: _____
Date: _____
Construction: _____
Unit #: _____
Drawing #: _____

RXYQ360PBYD



RXYQ360PBYD

Std U.S. Warranty: 7yrs Compressor, 1yrs Parts