DIY[®] Series Ductless Mini-Split Heat Pump Multi-Zone

The MRCOOL DIY[®] Multi-Zone Series ductless mini-split is the only whole-home mini-split solution that you can install yourself. Simple, easy air comfort in up to four zones.



DIY[®] Quick Connect[®] FACTORY CHARGED LINE SET





The MRCOOL DIY[®] Quick Connect[®] Line Set is 100% accurately precharged with R410A refrigerant. This makes installation quick and easy with no vacuum required.

Kink Resistant

Simple to Use Screw-on Quick Connect[®] Valves

- Available in 16ft or 25ft lengths
- Line sizes 1/4" and 3/8"
- Multi-Zone Condenser includes adapter for 24K Air Handler (3/8", 5/8" Line Size)

Leak Proof

🖌 No Vacuum Needed

100% Accurately Pre-charged R-410A Refrigerant

Connect Line Sets Together to Create Longer Length Using the MRCOOL[®] DIY[®] Coupler

The MRCOOL DIY[®] Quick Connect[®] Line Set is intended for use with the MRCOOL[®] DIY[®] Single or Multi-Zone Units.



DIY® MULTI-ZONE

SPECIFICATION

HEAT PUMP CONDENSER - Outdoor Model		DIY-MULTI3-27HP230	DIY-MULTI4-36HP230	
Max Number of Zones	UNIT	3	4	
Power Supply	V/Hz/Ph	208-230/60/1	208-230/60/1	
SEER	Btu/w	22	21.5	
Minimum Circuit Ampacity	А	21	30	
Max. Fuse	А	35	45	
Net Dimensions (WxDxH)	in	37.24 x 16.14 x 31.89	37.24x16.14x31.89	
Packaging Dimensions (WxDxH)	in	42.91 x 19.69 x 34.06	42.91x19.69x34.06	
Net Weight	lbs	141.1	162	
Outdoor Gross Weight	lbs	158.7	179.7	

WALL MOUNTED - Indoor Model		DIY-09-HP-WMAH-230B	DIY-12-HP-WMAH-230B	DIY-18-HP-WMAH-230B	DIY-24-HP-WMAH-230B
Power Supply	V~Hz,Ph	208-230~60,1	208-230~60,1	208-230~60,1	208-230~60,1
Minimum Circuit Ampacity	A	3.0	3.0	3.0	3.0
Max. Fuse	A	15	15	15	15
Net Dimensions (WxDxH)	in	31.57x7.44x11.69	31.57x7.44x11.69	42.52x8.90x13.19	42.52x8.90x13.19
Packaging Dimensions (WxDxH)	in	37.60x17.52x14.17	37.60x17.52x14.17	49.02x19.49x15.75	49.02x19.49x15.75
Net Weight	lbs	19.18	19.18	30.20	31.08
Gross Weight	lbs	37.04	37.04	54.01	54.67
Piping Size Liquidside/Gasside	in	1/4"-1/2"	1/4"-1/2"	1/4"-1/2"	3/8"-5/8"

MATCH UPS

DIY-MULTI3-27HP2	IY-MULTI3-27HP230 (27K) - 11 COMBINATIONS					
Two Units		Three Units				
9K + 9K	12K + 12K	9K + 9K + 9K	9K + 12K + 12K*			
9K + 12K	12K + 18K*	9K + 9K + 12K*	12K + 12K + 12K*			
9K + 18K	18K + 18K*	9K + 9K + 18K*				

DIY-MULTI4-36HP230 (36K) - 24 COMBINATIONS

Two Units		Three Units		Four Units		
9K + 18K	12K + 24K	9K + 9K + 9K	9K + 18K + 18K *	9K + 9K + 9K + 9K	12K + 12K + 12K + 12K *	
9K + 24K	18K + 18K	9K + 9K + 12K	12K + 12K + 12K	9K + 9K + 9K + 12K *		
12K + 12K		9K + 9K + 18K	12K + 12K + 18K *	9K + 9K + 9K + 18K *		
12K + 18K		9K + 9K + 24K *	12K + 12K + 24K *	9K + 9K + 12K + 12K *		
		9K + 12K + 12K	12K + 18K + 18K *	9K + 9K + 12K + 18K *		
		9K + 12K + 18K *		9K + 12K + 12K + 12K	*	

Note: Size the outdoor condenser unit for the total building load. Size the individual indoor air handler units for individual zone load.

*If all indoor units (handlers) run simultaneously, their combined BTU output will not exceed the BTU rating of the outdoor unit (condenser).





WWW.MRCOOL.COM

 \odot 7

**

* Data provided by AHRI





ALL MRCOOL® Ductless Minisplits **HEAT** and **COOL** Efficiently And Can Be Programmed And Controlled Remotely With Our Smartphone APP, Optional HVAC Ductless Mini-Stat, Or Included Hand-held Remote Control.

